





Capacity Range : 1 – 200 kg

Type : Portable, Wheel & Thermatic

Components



Handle

Nozzle

Pressure Gauge

360° Flexibility Hose


Cylinder

Nozzle

Nozzle Hook

Special Moulded Plastic Cover

High Grade Components



**EN3 Certified
Pressure Gauge**

**CE Certified
Valve**
















**CE Certified
Cylinder**
(with S/N)



**Certified
Extinguishing Agents**



Extinguishing Agents

KELAS	POWDER	CO ₂	STV-AF11	FOAM
CLASS A  Wood, Paper, Cloth, Trash & other ordinary materials				
CLASS B  Gasoline, Oil, Paint and other Flammable Liquids				
CLASS C  May be used on fires involving live electrical equipment without danger to the operator				





Examination Test : 477/-1.784.25
Dinas Pemadam Kebakaran dan
Penanggulangan Bencana Provinsi DKI
Jakarta



Hydro Test Approval :
C.2012.2935
Dinas Pemadam Kebakaran dan
Penanggulangan Bencana Provinsi DKI
Jakarta





ISO / SNI ISO 9001:2008 Certified
Certificate No. QEC29640
From SAI GLOBAL



Surat Penunjukan PJK3
(Perusahaan Jasa K3)
SK No. 385/PPK-PNK3/KB-
IL-PK/XI/2012 From
**Kementrian Tenaga Kerja
dan Transmigrasi RI**



REFILL FOR AGENTS :

- DRY CHEMICAL POWDER
- CARBON DIOXIDE (CO₂)
- FOAM
- LIQUID GAS
- CLEAN AGENTS
 - FM-200
 - NOVEC1230
 - FE-36
 - AF11
 - HFC236 FA

Digital System Machine





GMP
GLOBAL MITRA PROTEKSINDO

PT. Global Mitra Proteksindo

Dynamic's Company Management System

Office :

Kompleks Perkantoran Mutiara Taman Palem Blok A-15 No.28

Cengkareng, Jakarta Barat 11730

Telp : 021-54353513